

















































钢 筋 配 料 表




















项目名称：双月湾三期1#楼


















构件：梁_6~10层梁




















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
1#XL1 (1~1)	Φ22		2230	2*2	4	26.58	上1排(左挑)
	Φ10		1650	4*2	8	8.14	腰筋(左挑)
	Φ16		1600	2*2	4	10.11	底1排(左挑)
	Φ8		1510	14*2	28	16.7	左挑[14]
	Φ6		300	8*2	16	1.07	
2#KL1 (1~2)	Φ20		2700	2	2	13.34	上1排(支座1右)
	Φ20		2200	2	2	10.87	上2排(支座1右)
	Φ18		2650	2	2	10.6	上1排(支座2左)
	Φ18		2150	2	2	8.6	上2排(支座2左)
	Φ14		3300	2	2	7.99	架立筋(跨1)
	Φ10		6950	4	4	17.15	腰筋(跨1)
	Φ22		7650	2	2	45.59	底1排(跨1)
	Φ8		1510	41	41	24.45	1跨 @100/200(2)[10+21+10]
	Φ6		300	32	32	2.13	
3#XL2 (1~1)	Φ22		2230	2*2	4	26.58	上1排(左挑)
	Φ22		1920	2*2	4	22.89	上2排(左挑)
	Φ10		1650	4*2	8	8.14	腰筋(左挑)
	Φ18		1650	2*2	4	13.2	底1排(左挑)





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ8		1510	14*2	28	16.7	左挑[14]
	Φ6		300	8*2	16	1.07	
4#KL3 (1~2)	Φ22		4400	2	2	26.22	上1排(支座1—支座2)
	Φ22		1450	2	2	8.64	上2排(支座1右)
	Φ22		1450	2	2	8.64	上3排(支座1右)
	Φ22		1450	2	2	8.64	上2排(支座2左)
	Φ22		1450	2	2	8.64	上3排(支座2左)
	Φ10		3700	4	4	9.13	腰筋(跨1)
	Φ22		4400	2	2	26.22	底1排(跨1)
	Φ22		4400	2	2	26.22	底2排(跨1)
	Φ22		4400	2	2	26.22	底3排(跨1)
	Φ10		1510	31	31	28.88	1跨@100(2)[31]
	Φ6		300	16	16	1.07	
5#XL3 (1~1)	Φ20		2360	2	2	11.66	上1排(左挑)
	Φ20		2070	2	2	10.23	上2排(左挑)
	Φ10		1850	4	4	4.57	腰筋(左挑)
	Φ16		1800	2	2	5.69	底1排(左挑)
	Φ8		1510	16	16	9.54	左挑[16]
	Φ6		300	8	8	0.53	






















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
6#KL15 (1~4)	Φ25		2800	2	2	21.56	上1排(支座1右)
	Φ25		2300	2	2	17.71	上2排(支座1右)
	Φ25		2300	2	2	17.71	上3排(支座1右)
	Φ25		5750	2	2	44.27	上1排(支座2)
	Φ25		4700	2	2	36.19	上2排(支座2)
	Φ25		4700	2	2	36.19	上3排(支座2)
	Φ25		5500	2	2	42.35	上1排(跨2—支座4)
	Φ25		4950	2	2	38.11	上2排(跨2—支座4)
	Φ25		4000	2	2	30.8	上3排(支座3)
	Φ14		3250	1	1	3.93	架立筋(跨1)
	Φ14		3250	1	1	3.93	架立筋(跨2)
	Φ10		6800	4	4	16.78	腰筋(跨1)
	Φ10		6800	4	4	16.78	腰筋(跨2)
	Φ10		2350	4	4	5.8	腰筋(跨3)
	Φ20		7400	2	2	36.56	底1排(跨1)
	Φ20		7400	2	2	36.56	底2排(跨1)
	Φ25		7700	2	2	59.29	底1排(跨2)
	Φ25		7700	2	2	59.29	底2排(跨2)
	Φ25		3250	2	2	25.02	底1排(跨3)
	Φ25		3250	2	2	25.02	底2排(跨3)
	Φ10		1610	80	80	79.47	1跨 @100/200(2)[10+20+10]2
	Φ8		1610	18	18	11.45	跨@100/200(2)[10+20+10]1 3跨@100(2)[18]





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ6		300	76	76	5.06	
7#L1 (1~2)	Φ14		2030	2	2	4.91	上1排(支座1—支座2)
	Φ10		1650	4	4	4.07	腰筋(跨1)
	Φ14		1890	2	2	4.57	底1排(跨1)
	Φ8		1510	14	14	8.35	1跨@100(2)[14]
	Φ6		300	8	8	0.53	
8#KL13 (1~4)	Φ25		3140	4	4	48.36	上1排(支座1右)
	Φ25		2590	4	4	39.89	上2排(支座1右)
	Φ25		5600	4	4	86.24	上1排(支座2)
	Φ25		4500	3	3	51.97	上2排(支座2)
	Φ25		7040	3	3	81.31	上1排(跨2—支座4)
	Φ25		5400	1	1	20.79	上1排(支座3)
	Φ25		4300	4	4	66.22	上2排(支座3)
	Φ25		1690	2	2	13.01	上2排(支座4左)
	Φ16		3550	2	2	11.22	架立筋(跨1)
	Φ16		3550	2	2	11.22	架立筋(跨2)
	Φ12		7200	4	4	25.57	腰筋(跨1)
	Φ12		7200	4	4	25.57	腰筋(跨2)
	Φ12		3500	4	4	12.43	腰筋(跨3)
	Φ22		7900	4	4	94.17	底1排(跨1)


















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ22		7900	2	2	47.08	底2排(跨1)
	Φ22		7900	4	4	94.17	底1排(跨2)
	Φ22		7900	2	2	47.08	底2排(跨2)
	Φ22		4200	4	4	50.06	底1排(跨3)
	Φ22		4200	2	2	25.03	底2排(跨3)
	Φ10		1810	125	125	139.6	1跨 @100/150(2)[10+30+10]2 跨
	Φ6		400	80	80	7.1	
9#L2 (1~2)	Φ25		5410	2	2	41.66	上1排(左挑—跨1)
	Φ25		4460	2	2	34.34	上2排(左挑—跨1)
	Φ20		2770	2	2	13.68	上1排(支座2左)
	Φ20		2170	2	2	10.72	上2排(支座2左)
	Φ20		2360	2	2	11.66	上1排(右挑)
	Φ20		2070	2	2	10.23	上2排(右挑)
	Φ12		2800	2	2	4.97	架立筋(跨1)
	Φ10		2750	4	4	6.79	腰筋(左挑)
	Φ10		7600	4	4	18.76	腰筋(跨1)
	Φ10		1650	4	4	4.07	腰筋(右挑)
	Φ16		2700	2	2	8.53	底1排(左挑)
	Φ20		7650	2	2	37.79	底1排(跨1)
	Φ20		7650	2	2	37.79	底2排(跨1)
	Φ16		1800	2	2	5.69	底1排(右挑)



















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ8		1510	77	77	45.93	左挑[25]1跨@200(2)[36] 右挑[16]
	Φ6		300	66	66	4.4	
10#LL1 (1~2)	Φ22		3550	2	2	21.16	上1排(支座1—支座2)
	Φ22		3550	2	2	21.16	上2排(支座1—支座2)
	Φ22		3550	2	2	21.16	上3排(支座1—支座2)
	Φ10		2850	4	4	7.03	腰筋(跨1)
	Φ22		3550	2	2	21.16	底1排(跨1)
	Φ22		3550	2	2	21.16	底2排(跨1)
	Φ22		3550	2	2	21.16	底3排(跨1)
	Φ10		1510	23	23	21.43	1跨@100(2)[23]
	Φ6		300	11	11	0.73	
11#XL4 (1~1)	Φ22		2430	2	2	14.48	上1排(右挑)
	Φ22		2120	2	2	12.64	上2排(右挑)
	Φ22		1870	2	2	11.15	上3排(右挑)
	Φ10		1850	4	4	4.57	腰筋(右挑)
	Φ22		1900	2	2	11.32	底1排(右挑)
	Φ8		1510	16	16	9.54	右挑[16]
	Φ6		300	8	8	0.53	
12#L5 (1~2)	Φ25		5410	2	2	41.66	上1排(左挑—跨1)



















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ25		4460	2	2	34.34	上2排(左挑—跨1)
	Φ12		5270	2	2	9.36	架立筋(跨1—支座2)
	Φ10		2750	4	4	6.79	腰筋(左挑)
	Φ10		7600	4	4	18.76	腰筋(跨1)
	Φ16		2700	2	2	8.53	底1排(左挑)
	Φ25		7940	2	2	61.14	底1排(跨1)
	Φ25		7940	2	2	61.14	底2排(跨1)
	Φ8		1510	61	61	36.38	左挑[25]1跨@200(2)[36]
	Φ6		300	56	56	3.73	
13#KL4 (1~2)	Φ25		5900	2	2	45.43	上1排(支座1—支座2)
	Φ25		1850	2	2	14.24	上2排(支座1右)
	Φ25		1850	2	2	14.24	上2排(支座2左)
	Φ10		5000	4	4	12.34	腰筋(跨1)
	Φ22		5700	2	2	33.97	底1排(跨1)
	Φ22		5700	2	2	33.97	底2排(跨1)
	Φ8		1510	32	32	19.09	1跨 @100/200(2)[10+12+10]
	Φ6		300	22	22	1.47	
14#L9 (1~6)	Φ16		1750	2	2	5.53	上1排(支座1右)
	Φ14		2650	2	2	6.41	上1排(支座2)
	Φ18		2650	2	2	10.6	上1排(支座3)



















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ14		2650	2	2	6.41	上1排(支座4)
	Φ18		2650	2	2	10.6	上1排(支座5)
	Φ16		1750	2	2	5.53	上1排(支座6左)
	Φ12		1650	2	2	2.93	架立筋(跨1)
	Φ12		1650	2	2	2.93	架立筋(跨2)
	Φ12		1650	2	2	2.93	架立筋(跨3)
	Φ12		1650	2	2	2.93	架立筋(跨4)
	Φ12		1650	2	2	2.93	架立筋(跨5)
	Φ14		4250	4	4	20.57	腰筋(跨1)
	Φ14		4550	4	4	22.02	腰筋(跨2)
	Φ14		4550	4	4	22.02	腰筋(跨3)
	Φ14		4550	4	4	22.02	腰筋(跨4)
	Φ14		4250	4	4	20.57	腰筋(跨5)
	Φ20		4670	2	2	23.07	底1排(跨1)
	Φ20		4900	2	2	24.21	底1排(跨2)
	Φ20		4900	2	2	24.21	底1排(跨3)
	Φ20		4900	2	2	24.21	底1排(跨4)
	Φ20		4670	2	2	23.07	底1排(跨5)
	Φ8		1510	95	95	56.66	1跨@200(2)[19]2跨 @200(2)[19]3跨 @200(2)[19]4跨
	Φ6		300	90	90	5.99	
15#KL17 (1~4)	Φ25		1650	2	2	12.7	上1排(支座1右)




















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ25		1400	2	2	10.78	上2排(支座1右)
	Φ16		9650	2	2	30.49	上1排(跨1—跨3)
	Φ22		3230	2	2	19.25	上1排(支座4)
	Φ22		3900	2	2	23.24	底1排(跨1)
	Φ22		5000	2	2	29.8	底1排(跨2)
	Φ16		4650	2	2	14.69	底1排(跨3)
	Φ16		1750	2	2	5.53	底1排(右挑)
	Φ8		1510	42	42	25.05	1跨@100(2)[26]右挑[16]
	Φ10		1510	52	52	48.45	2跨@100/200(2)[8+10+8]3 跨@100/200(2)[8+10+8]
16#KL16 (1~2)	Φ20		3370	2	2	16.65	上1排(支座1—支座2)
	Φ20		3370	2	2	16.65	上2排(支座1—支座2)
	Φ10		2800	4	4	6.91	腰筋(跨1)
	Φ22		3450	2	2	20.56	底1排(跨1)
	Φ22		3450	2	2	20.56	底2排(跨1)
	Φ8		1510	22	22	13.12	1跨@100/200(2)[10+2+10]
	Φ6		300	12	12	0.8	
17#KL8 (1~3)	Φ25		3000	2	2	23.1	上1排(支座1右)
	Φ25		2450	2	2	18.86	上2排(支座1右)
	Φ25		2450	2	2	18.86	上3排(支座1右)
	Φ22		6350	2	2	37.85	上1排(支座2)




















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ22		5200	2	2	30.99	上2排(支座2)
	Φ22		5200	2	2	30.99	上3排(支座2)
	Φ22		2850	2	2	16.99	上1排(支座3左)
	Φ22		2300	2	2	13.71	上2排(支座3左)
	Φ22		2300	2	2	13.71	上3排(支座3左)
	Φ14		3450	2	2	8.35	架立筋(跨1)
	Φ14		3300	2	2	7.99	架立筋(跨2)
	Φ10		7400	4	4	18.26	腰筋(跨1)
	Φ10		7200	4	4	17.77	腰筋(跨2)
	Φ18		7850	2	2	31.4	底1排(跨1)
	Φ18		7850	2	2	31.4	底2排(跨1)
	Φ20		7800	2	2	38.53	底1排(跨2)
	Φ20		7800	2	2	38.53	底2排(跨2)
	Φ10		1510	106	106	98.76	1跨 @100/150(2)[14+30+10]2 跨@100/150(2)[10+28+14]
	Φ6		300	66	66	4.4	
18#KL6 (1~2)	Φ22		5850	2	2	34.87	上1排(支座1—支座2)
	Φ22		1850	2	2	11.03	上2排(支座2左)
	Φ10		5200	4	4	12.83	腰筋(跨1)
	Φ20		5770	2	2	28.5	底1排(跨1)
	Φ8		1510	34	34	20.28	1跨 @100/200(2)[10+14+10]
	Φ6		300	24	24	1.6	





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
19#L12 (1~2)	Φ14		3030	2	2	7.33	上1排(支座1—支座2)
	Φ10		2650	4	4	6.54	腰筋(跨1)
	Φ16		3090	2	2	9.76	底1排(跨1)
	Φ8		1510	13	13	7.75	1跨@200(2)[13]
	Φ6		300	12	12	0.8	
20#KL5 (1~3)	Φ22		2650	2	2	15.79	上1排(支座1右)
	Φ22		2150	2	2	12.81	上2排(支座1右)
	Φ22		7800	2	2	46.49	上1排(跨1—支座3)
	Φ22		3700	2	2	22.05	上2排(支座2)
	Φ22		3700	2	2	22.05	上3排(支座2)
	Φ22		1900	2	2	11.32	上2排(支座3左)
	Φ22		1900	2	2	11.32	上3排(支座3左)
	Φ14		3150	2	2	7.62	架立筋(跨1)
	Φ10		6600	4	4	16.29	腰筋(跨1)
	Φ10		4900	4	4	12.09	腰筋(跨2)
	Φ22		7300	2	2	43.51	底1排(跨1)
	Φ18		5350	2	2	21.4	底1排(跨2)
	Φ18		5350	2	2	21.4	底2排(跨2)
	Φ10		1510	75	75	69.88	1跨 @100/200(2)[10+20+10]2 跨@100/150(2)[10+15+10]
	Φ6		300	52	52	3.46	


















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
21#L11 (1~2)	Φ14		2830	2*3	6	20.55	上1排(支座1—支座2)
	Φ10		2450	4*3	12	18.14	腰筋(跨1)
	Φ16		2890	2*3	6	27.4	底1排(跨1)
	Φ8		1510	12*3	36	21.47	1跨@200(2)[12]
	Φ6		300	11*3	33	2.2	
22#L4 (1~4)	Φ16		2720	2	2	8.6	上1排(支座1右)
	Φ18		7640	2	2	30.56	上1排(跨1—支座4)
	Φ12		2750	2	2	4.88	架立筋(跨1)
	Φ22		7800	2	2	46.49	底1排(跨1)
	Φ16		2500	2	2	7.9	底1排(跨2)
	Φ16		2970	2	2	9.39	底1排(跨3)
	Φ8		1310	60	60	31.05	1跨@200(2)[36]2跨 @200(2)[11]3跨 @200(2)[13]
23#XL5 (1~1)	Φ25		3110	2	2	23.95	上1排(左挑)
	Φ25		2710	2	2	20.87	上2排(左挑)
	Φ25		2460	2	2	18.94	上3排(左挑)
	Φ25		2450	2	2	18.86	底1排(左挑)
	Φ10		1310	22	22	17.78	左挑[22]
24#L14 (1~2)	Φ20		4110	2	2	20.3	上1排(支座2)


















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ20		3370	2	2	16.65	上2排(支座2)
	Φ12		3720	2	2	6.61	架立筋(支座1—跨1)
	Φ18		5390	2	2	21.56	底1排(跨1)
	Φ14		2300	2	2	5.57	底1排(右挑)
	Φ8		1310	47	47	24.32	1跨@200(2)[25]右挑[11]
25#L13 (1~2)	Φ14		1280	2	2	3.1	上1排(支座1—支座2)
	Φ14		1280	2	2	3.1	底1排(跨1)
	Φ8		1110	4	4	1.75	1跨@200(2)[4]
26#L7 (1~2)	Φ14		3030	2	2	7.33	上1排(支座1—支座2)
	Φ14		3030	2	2	7.33	底1排(跨1)
	Φ8		1110	13	13	5.7	1跨@200(2)[13]
27#L13 (1~2)	Φ14		1280	2	2	3.1	上1排(支座1—支座2)
	Φ14		1280	2	2	3.1	底1排(跨1)
	Φ8		1110	4	4	1.75	1跨@200(2)[4]
28#KL18 (1~2)	Φ22		3450	2	2	20.56	上1排(支座1—支座2)
	Φ22		1250	2	2	7.45	上2排(支座2左)
	Φ10		2800	4	4	6.91	腰筋(跨1)
	Φ18		3290	2	2	13.16	底1排(跨1)






















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ18		3290	2	2	13.16	底2排(跨1)
	Φ8		1510	22	22	13.12	1跨@100/200(2)[10+2+10]
	Φ6		300	12	12	0.8	
29#KL17 (1~4)	Φ25		1650	2	2	12.7	上1排(支座1右)
	Φ25		1400	2	2	10.78	上2排(支座1右)
	Φ16		9650	2	2	30.49	上1排(跨1—跨3)
	Φ22		3230	2	2	19.25	上1排(支座4)
	Φ22		3900	2	2	23.24	底1排(跨1)
	Φ22		5000	2	2	29.8	底1排(跨2)
	Φ16		4650	2	2	14.69	底1排(跨3)
	Φ16		1750	2	2	5.53	底1排(右挑)
	Φ8		1510	42	42	25.05	1跨@100(2)[26]右挑[16]
	Φ10		1510	52	52	48.45	2跨@100/200(2)[8+10+8]3 跨@100/200(2)[8+10+8]
30#L1 (1~2)	Φ14		2030	2	2	4.91	上1排(支座1—支座2)
	Φ10		1650	4	4	4.07	腰筋(跨1)
	Φ14		2030	2	2	4.91	底1排(跨1)
	Φ8		1510	14	14	8.35	1跨@100(2)[14]
	Φ6		300	8	8	0.53	
31#KL2 (1~2)	Φ18		2650	2	2	10.6	上1排(支座1右)

















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ18		2150	2	2	8.6	上2排(支座1右)
	Φ20		2700	2	2	13.34	上1排(支座2左)
	Φ20		2200	2	2	10.87	上2排(支座2左)
	Φ14		3300	2	2	7.99	架立筋(跨1)
	Φ10		6950	4	4	17.15	腰筋(跨1)
	Φ22		7650	2	2	45.59	底1排(跨1)
	Φ8		1510	41	41	24.45	1跨 @100/200(2)[10+21+10]
	Φ6		300	32	32	2.13	
32#XL1 (1~1)	Φ22		2230	2*2	4	26.58	上1排(左挑)
	Φ10		1650	4*2	8	8.14	腰筋(左挑)
	Φ16		1600	2*2	4	10.11	底1排(左挑)
	Φ8		1510	14*2	28	16.7	左挑[14]
	Φ6		300	8*2	16	1.07	
33#XL3 (1~1)	Φ20		2360	2	2	11.66	上1排(左挑)
	Φ20		2070	2	2	10.23	上2排(左挑)
	Φ10		1850	4	4	4.57	腰筋(左挑)
	Φ16		1800	2	2	5.69	底1排(左挑)
	Φ8		1510	16	16	9.54	左挑[16]
	Φ6		300	8	8	0.53	




















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
34#KL3 (1~2)	Φ22		4400	2	2	26.22	上1排(支座1—支座2)
	Φ22		1450	2	2	8.64	上2排(支座1右)
	Φ22		1450	2	2	8.64	上3排(支座1右)
	Φ22		1450	2	2	8.64	上2排(支座2左)
	Φ22		1450	2	2	8.64	上3排(支座2左)
	Φ10		3700	4	4	9.13	腰筋(跨1)
	Φ22		4400	2	2	26.22	底1排(跨1)
	Φ22		4400	2	2	26.22	底2排(跨1)
	Φ22		4400	2	2	26.22	底3排(跨1)
	Φ10		1510	31	31	28.88	1跨@100(2)[31]
	Φ6		300	16	16	1.07	
35#XL2 (1~1)	Φ22		2230	2*2	4	26.58	上1排(左挑)
	Φ22		1920	2*2	4	22.89	上2排(左挑)
	Φ10		1650	4*2	8	8.14	腰筋(左挑)
	Φ18		1650	2*2	4	13.2	底1排(左挑)
	Φ8		1510	14*2	28	16.7	左挑[14]
	Φ6		300	8*2	16	1.07	
36#KL13 (1~4)	Φ25		3140	4	4	48.36	上1排(支座1右)
	Φ25		2590	4	4	39.89	上2排(支座1右)
	Φ25		5600	4	4	86.24	上1排(支座2)





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ25		4500	3	3	51.97	上2排(支座2)
	Φ25		7040	3	3	81.31	上1排(跨2—支座4)
	Φ25		5400	1	1	20.79	上1排(支座3)
	Φ25		4300	4	4	66.22	上2排(支座3)
	Φ25		1690	2	2	13.01	上2排(支座4左)
	Φ16		3550	2	2	11.22	架立筋(跨1)
	Φ16		3550	2	2	11.22	架立筋(跨2)
	Φ12		7200	4	4	25.57	腰筋(跨1)
	Φ12		7200	4	4	25.57	腰筋(跨2)
	Φ12		3500	4	4	12.43	腰筋(跨3)
	Φ22		7900	4	4	94.17	底1排(跨1)
	Φ22		7900	2	2	47.08	底2排(跨1)
	Φ22		7900	4	4	94.17	底1排(跨2)
	Φ22		7900	2	2	47.08	底2排(跨2)
	Φ22		4200	4	4	50.06	底1排(跨3)
	Φ22		4200	2	2	25.03	底2排(跨3)
	Φ10		1810	125	125	139.6	1跨 @100/150(2)[10+30+10]2
	Φ6		400	80	80	7.1	跨
37#KL15 (1~4)	Φ25		2800	2	2	21.56	上1排(支座1右)
	Φ25		2300	2	2	17.71	上2排(支座1右)
	Φ25		2300	2	2	17.71	上3排(支座1右)


















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ25		5750	2	2	44.27	上1排(支座2)
	Φ25		4700	2	2	36.19	上2排(支座2)
	Φ25		4700	2	2	36.19	上3排(支座2)
	Φ25		5500	2	2	42.35	上1排(跨2—支座4)
	Φ25		4950	2	2	38.11	上2排(跨2—支座4)
	Φ25		4000	2	2	30.8	上3排(支座3)
	Φ14		3250	1	1	3.93	架立筋(跨1)
	Φ14		3250	1	1	3.93	架立筋(跨2)
	Φ10		6800	4	4	16.78	腰筋(跨1)
	Φ10		6800	4	4	16.78	腰筋(跨2)
	Φ10		2350	4	4	5.8	腰筋(跨3)
	Φ20		7400	2	2	36.56	底1排(跨1)
	Φ20		7400	2	2	36.56	底2排(跨1)
	Φ25		7700	2	2	59.29	底1排(跨2)
	Φ25		7700	2	2	59.29	底2排(跨2)
	Φ25		3250	2	2	25.02	底1排(跨3)
	Φ25		3250	2	2	25.02	底2排(跨3)
	Φ10		1610	80	80	79.47	1跨 @100/200(2)[10+20+10]2 跨@100/200(2)[10+20+10]
	Φ8		1610	18	18	11.45	3跨@100(2)[18]
	Φ6		300	76	76	5.06	
38#L3 (1~2)	Φ20		2360	2	2	11.66	上1排(左挑)

















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ20		2070	2	2	10.23	上2排(左挑)
	Φ20		2770	2	2	13.68	上1排(支座1右)
	Φ20		2170	2	2	10.72	上2排(支座1右)
	Φ25		5410	2	2	41.66	上1排(支座2)
	Φ25		4460	2	2	34.34	上2排(支座2)
	Φ12		2800	2	2	4.97	架立筋(跨1)
	Φ10		1650	4	4	4.07	腰筋(左挑)
	Φ10		7600	4	4	18.76	腰筋(跨1)
	Φ10		2750	4	4	6.79	腰筋(右挑)
	Φ16		1800	2	2	5.69	底1排(左挑)
	Φ20		7650	2	2	37.79	底1排(跨1)
	Φ20		7650	2	2	37.79	底2排(跨1)
	Φ16		2700	2	2	8.53	底1排(右挑)
	Φ8		1510	77	77	45.93	左挑[16]1跨@200(2)[36] 右挑[25]
	Φ6		300	66	66	4.4	
39#LL1 (1~2)	Φ22		3550	2	2	21.16	上1排(支座1—支座2)
	Φ22		3550	2	2	21.16	上2排(支座1—支座2)
	Φ22		3550	2	2	21.16	上3排(支座1—支座2)
	Φ10		2850	4	4	7.03	腰筋(跨1)
	Φ22		3550	2	2	21.16	底1排(跨1)
	Φ22		3550	2	2	21.16	底2排(跨1)






















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ22		3550	2	2	21.16	底3排(跨1)
	Φ10		1510	23	23	21.43	1跨@100(2)[23]
	Φ6		300	11	11	0.73	
40#XL4 (1~1)	Φ22		2430	2	2	14.48	上1排(右挑)
	Φ22		2120	2	2	12.64	上2排(右挑)
	Φ22		1870	2	2	11.15	上3排(右挑)
	Φ10		1850	4	4	4.57	腰筋(右挑)
	Φ22		1900	2	2	11.32	底1排(右挑)
	Φ8		1510	16	16	9.54	右挑[16]
	Φ6		300	8	8	0.53	
41#L6 (1~2)	Φ25		5410	2	2	41.66	上1排(支座2)
	Φ25		4460	2	2	34.34	上2排(支座2)
	Φ12		5270	2	2	9.36	架立筋(支座1—跨1)
	Φ10		7600	4	4	18.76	腰筋(跨1)
	Φ10		2750	4	4	6.79	腰筋(右挑)
	Φ25		7940	2	2	61.14	底1排(跨1)
	Φ25		7940	2	2	61.14	底2排(跨1)
	Φ16		2700	2	2	8.53	底1排(右挑)
	Φ8		1510	61	61	36.38	1跨@200(2)[36]右挑[25]
	Φ6		300	56	56	3.73	






















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
42#KL9 (1~2)	Φ25		5900	2	2	45.43	上1排(支座1—支座2)
	Φ25		1850	2	2	14.24	上2排(支座1右)
	Φ25		1850	2	2	14.24	上2排(支座2左)
	Φ10		5000	4	4	12.34	腰筋(跨1)
	Φ22		5700	2	2	33.97	底1排(跨1)
	Φ22		5700	2	2	33.97	底2排(跨1)
	Φ8		1510	32	32	19.09	1跨 @100/200(2)[10+12+10]
	Φ6		300	22	22	1.47	
43#L9 (1~6)	Φ16		1750	2	2	5.53	上1排(支座1右)
	Φ14		2650	2	2	6.41	上1排(支座2)
	Φ18		2650	2	2	10.6	上1排(支座3)
	Φ14		2650	2	2	6.41	上1排(支座4)
	Φ18		2650	2	2	10.6	上1排(支座5)
	Φ16		1750	2	2	5.53	上1排(支座6左)
	Φ12		1650	2	2	2.93	架立筋(跨1)
	Φ12		1650	2	2	2.93	架立筋(跨2)
	Φ12		1650	2	2	2.93	架立筋(跨3)
	Φ12		1650	2	2	2.93	架立筋(跨4)
	Φ12		1650	2	2	2.93	架立筋(跨5)
	Φ14		4250	4	4	20.57	腰筋(跨1)


















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ14		4550	4	4	22.02	腰筋(跨2)
	Φ14		4550	4	4	22.02	腰筋(跨3)
	Φ14		4550	4	4	22.02	腰筋(跨4)
	Φ14		4250	4	4	20.57	腰筋(跨5)
	Φ20		4670	2	2	23.07	底1排(跨1)
	Φ20		4900	2	2	24.21	底1排(跨2)
	Φ20		4900	2	2	24.21	底1排(跨3)
	Φ20		4900	2	2	24.21	底1排(跨4)
	Φ20		4670	2	2	23.07	底1排(跨5)
	Φ8		1510	95	95	56.66	1跨@200(2)[19]2跨 @200(2)[19]3跨 @200(2)[19]4跨
	Φ6		300	90	90	5.99	
44#KL12 (1~2)	Φ22		2250	2*2	4	26.82	上1排(支座1—支座2)
	Φ22		2150	2*2	4	25.63	上2排(支座1—支座2)
	Φ10		1650	4*2	8	8.14	腰筋(跨1)
	Φ18		2130	2*2	4	17.04	底1排(跨1)
	Φ18		2030	2*2	4	16.24	底2排(跨1)
	Φ8		1510	14*2	28	16.7	1跨@100(2)[14]
	Φ6		300	8*2	16	1.07	
45#KL14 (1~2)	Φ25		2320	3*2	6	53.59	上1排(支座1—支座2)
	Φ25		2220	3*2	6	51.28	上2排(支座1—支座2)



















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ12		1650	4*2	8	11.72	腰筋(跨1)
	Φ25		2320	3*2	6	53.59	底1排(跨1)
	Φ25		2220	3*2	6	51.28	底2排(跨1)
	Φ10		1710	14*2	28	29.54	1跨@100(2)[14]
	Φ6		400	8*2	16	1.42	
46#KL10 (1~6)	Φ25		2350	2	2	18.09	上1排(支座1右)
	Φ25		1950	2	2	15.01	上2排(支座1右)
	Φ25		1950	2	2	15.01	上3排(支座1右)
	Φ25		5900	2	2	45.43	上1排(支座2)
	Φ25		4700	2	2	36.19	上2排(支座2)
	Φ25		4700	2	2	36.19	上3排(支座2)
	Φ25		9700	2	2	74.69	上1排(跨2—跨4)
	Φ25		4200	2	2	32.34	上2排(支座3)
	Φ25		4200	2	2	32.34	上3排(支座3)
	Φ25		4200	2	2	32.34	上2排(支座4)
	Φ25		4200	2	2	32.34	上3排(支座4)
	Φ25		5900	2	2	45.43	上1排(支座5)
	Φ25		4700	2	2	36.19	上2排(支座5)
	Φ25		4700	2	2	36.19	上3排(支座5)
	Φ25		2350	2	2	18.09	上1排(支座6左)
	Φ25		1950	2	2	15.01	上2排(支座6左)





















构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ25		1950	2	2	15.01	上3排(支座6左)
	Φ14		1900	2	2	4.6	架立筋(跨1)
	Φ14		3600	2	2	8.71	架立筋(跨2)
	Φ14		3600	2	2	8.71	架立筋(跨4)
	Φ14		1950	2	2	4.72	架立筋(跨5)
	Φ10		5350	4	4	13.2	腰筋(跨1)
	Φ10		7800	4	4	19.25	腰筋(跨2)
	Φ10		4300	4	4	10.61	腰筋(跨3)
	Φ10		7800	4	4	19.25	腰筋(跨4)
	Φ10		5350	4	4	13.2	腰筋(跨5)
	Φ20		5950	2	2	29.39	底1排(跨1)
	Φ20		5950	2	2	29.39	底2排(跨1)
	Φ22		8500	2	2	50.66	底1排(跨2)
	Φ22		8500	2	2	50.66	底2排(跨2)
	Φ18		4750	2	2	19	底1排(跨3)
	Φ18		4750	2	2	19	底2排(跨3)
	Φ22		8500	2	2	50.66	底1排(跨4)
	Φ22		8500	2	2	50.66	底2排(跨4)
	Φ20		5950	2	2	29.39	底1排(跨5)
	Φ20		5950	2	2	29.39	底2排(跨5)
	Φ10		1610	193	193	191.72	1跨 @100/200(2)[17+11+10]2
	Φ6		300	138	138	9.19	跨






构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
47#KL11 (1~6)	Φ25		3140	4	4	48.36	上1排(支座1右)
	Φ25		2590	4	4	39.89	上2排(支座1右)
	Φ25		5550	4	4	85.47	上1排(支座2)
	Φ25		4400	3	3	50.82	上2排(支座2)
	Φ25		9650	4	4	148.61	上1排(跨2—跨4)
	Φ25		8500	4	4	130.9	上2排(跨2—跨4)
	Φ25		5550	4	4	85.47	上1排(支座5)
	Φ25		4400	3	3	50.82	上2排(支座5)
	Φ25		3140	4	4	48.36	上1排(支座6左)
	Φ25		2590	4	4	39.89	上2排(支座6左)
	Φ16		3500	2	2	11.06	架立筋(跨1)
	Φ16		3600	2	2	11.38	架立筋(跨2)
	Φ16		3600	2	2	11.38	架立筋(跨4)
	Φ16		3500	2	2	11.06	架立筋(跨5)
	Φ10		7200	4	4	17.77	腰筋(跨1)
	Φ10		7400	4	4	18.26	腰筋(跨2)
	Φ10		3500	4	4	8.64	腰筋(跨3)
	Φ10		7400	4	4	18.26	腰筋(跨4)
	Φ10		7200	4	4	17.77	腰筋(跨5)
	Φ25		8290	3	3	95.75	底1排(跨1)
	Φ25		8290	2	2	63.83	底2排(跨1)

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ25		8300	3	3	95.86	底1排(跨2)
	Φ25		8300	2	2	63.91	底2排(跨2)
	Φ22		4200	4	4	50.06	底1排(跨3)
	Φ25		8300	3	3	95.86	底1排(跨4)
	Φ25		8300	2	2	63.91	底2排(跨4)
	Φ25		8290	3	3	95.75	底1排(跨5)
	Φ25		8290	2	2	63.83	底2排(跨5)
	Φ10		1810	202	202	225.59	1跨 @100/150(2)[10+30+10]2
	Φ8		1810	29	29	20.73	3跨@100(2)[29]
	Φ6		400	150	150	13.32	
48#L8 (1~10)	Φ16		1750	2	2	5.53	上1排(支座1右)
	Φ14		2650	2	2	6.41	上1排(支座2)
	Φ16		2650	2	2	8.37	上1排(支座3)
	Φ14		2650	2	2	6.41	上1排(支座4)
	Φ20		2650	2	2	13.09	上1排(支座5)
	Φ20		2650	2	2	13.09	上1排(支座6)
	Φ14		2650	2	2	6.41	上1排(支座7)
	Φ16		2650	2	2	8.37	上1排(支座8)
	Φ14		2650	2	2	6.41	上1排(支座9)
	Φ16		1750	2	2	5.53	上1排(支座10左)
	Φ12		1650	2	2	2.93	架立筋(跨1)

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ12		1650	2	2	2.93	架立筋(跨2)
	Φ12		1650	2	2	2.93	架立筋(跨3)
	Φ12		1650	2	2	2.93	架立筋(跨4)
	Φ12		1650	2	2	2.93	架立筋(跨5)
	Φ12		1650	2	2	2.93	架立筋(跨6)
	Φ12		1650	2	2	2.93	架立筋(跨7)
	Φ12		1650	2	2	2.93	架立筋(跨8)
	Φ12		1650	2	2	2.93	架立筋(跨9)
	Φ14		4350	4	4	21.05	腰筋(跨1)
	Φ14		4750	4	4	22.99	腰筋(跨2)
	Φ14		4750	4	4	22.99	腰筋(跨3)
	Φ14		4750	4	4	22.99	腰筋(跨4)
	Φ14		4750	4	4	22.99	腰筋(跨5)
	Φ14		4750	4	4	22.99	腰筋(跨6)
	Φ14		4750	4	4	22.99	腰筋(跨7)
	Φ14		4750	4	4	22.99	腰筋(跨8)
	Φ14		4350	4	4	21.05	腰筋(跨9)
	Φ16		4620	2	2	14.6	底1排(跨1)
	Φ16		4900	2	2	15.48	底1排(跨2)
	Φ16		4900	2	2	15.48	底1排(跨3)
	Φ16		4900	2	2	15.48	底1排(跨4)
	Φ16		4900	2	2	15.48	底1排(跨5)

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ16		4900	2	2	15.48	底1排(跨6)
	Φ16		4900	2	2	15.48	底1排(跨7)
	Φ16		4900	2	2	15.48	底1排(跨8)
	Φ16		4620	2	2	14.6	底1排(跨9)
	Φ8		1510	171	171	101.99	1跨@200(2)[19]2跨 @200(2)[19]3跨 @200(2)[19]4跨
	Φ6		300	162	162	10.79	
49#LL2 (1~2)	Φ22		3800	2*2	4	45.3	上1排(支座1—支座2)
	Φ22		3800	2*2	4	45.3	上2排(支座1—支座2)
	Φ10		3100	4*2	8	15.3	腰筋(跨1)
	Φ22		3800	2*2	4	45.3	底1排(跨1)
	Φ22		3800	2*2	4	45.3	底2排(跨1)
	Φ10		1610	25*2	50	49.67	1跨@100(2)[25]
	Φ6		300	12*2	24	1.6	
50#XL1 (1~1)	Φ22		2230	2*2	4	26.58	上1排(左挑)
	Φ10		1650	4*2	8	8.14	腰筋(左挑)
	Φ16		1600	2*2	4	10.11	底1排(左挑)
	Φ8		1510	14*2	28	16.7	左挑[14]
	Φ6		300	8*2	16	1.07	
51#L10 (1~2)	Φ25		5360	2*4	8	165.09	上1排(左挑—跨1)

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重 量 (kg)	备 注
	Φ25		4460	2*4	8	137.37	上2排(左挑—跨1)
	Φ16		2720	2*4	8	34.38	上1排(支座2左)
	Φ12		2800	2*4	8	19.89	架立筋(跨1)
	Φ10		2750	4*4	16	27.15	腰筋(左挑)
	Φ10		7600	4*4	16	75.03	腰筋(跨1)
	Φ16		2700	2*4	8	34.13	底1排(左挑)
	Φ25		7940	2*4	8	244.55	底1排(跨1)
	Φ25		7940	2*4	8	244.55	底2排(跨1)
	Φ8		1510	61*4	244	145.53	左挑[25]1跨@200(2)[36]
	Φ6		300	56*4	224	14.92	
52#LL3 (1~2)	Φ22		4150	2*4	8	98.94	上1排(支座1—支座2)
	Φ22		4150	2*4	8	98.94	上2排(支座1—支座2)
	Φ22		4150	2*4	8	98.94	上3排(支座1—支座2)
	Φ10		3450	4*4	16	34.06	腰筋(跨1)
	Φ22		4150	2*4	8	98.94	底1排(跨1)
	Φ22		4150	2*4	8	98.94	底2排(跨1)
	Φ22		4150	2*4	8	98.94	底3排(跨1)
	Φ10		1510	29*4	116	108.07	1跨@100(2)[29]
	Φ6		300	14*4	56	3.73	
53#XL2 (1~1)	Φ22		2230	2*4	8	53.16	上1排(左挑)

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ22		1920	2*4	8	45.77	上2排(左挑)
	Φ10		1650	4*4	16	16.29	腰筋(左挑)
	Φ18		1600	2*4	8	25.6	底1排(左挑)
	Φ8		1510	14*4	56	33.4	左挑[14]
	Φ6		300	8*4	32	2.13	