





















































钢 筋 配 料 表




















项目名称：双月湾三期1#楼















构件：板_3~24层板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
底筋							
1#	Φ8		2700	19*19	361	385.01	19块, @200
	Φ8		4000	12*19	228	360.24	@200
2#	Φ8		5700	13*6	78	175.62	6块, @200
	Φ8		2320	12*6	72	65.98	@200
	Φ8		7500	7*6	42	124.43	@200
	Φ10		4000	27*6	162	399.82	@200
	Φ10		2960	9*6	54	98.62	@200
	Φ10		1590	10*6	60	58.86	@200
3#	Φ8		5700	13*13	169	380.5	13块, @200
	Φ8		2320	12*13	156	142.96	@200
	Φ8		7500	7*13	91	269.59	@200
	Φ8		4000	27*13	351	554.58	@200
	Φ8		2920	9*13	117	134.95	@200
	Φ8		1550	10*13	130	79.59	@200
4#	Φ8		1800	27*2	54	38.39	2块, @200
	Φ8		5700	8*2	16	36.02	@200
5#	Φ8		1800	19*2	38	27.02	2块, @200
	Φ8		4000	8*2	16	25.28	@200
6#	Φ8		1700	39*2	78	52.38	2块, @200

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ8		7900	8*2	16	49.93	@200
7#	Φ8		7400	11	11	32.15	1块, @200
	Φ8		2200	36	36	31.28	@200
8#	Φ8		5000	11	11	21.73	1块, @200
	Φ8		2200	24	24	20.86	@200
9#	Φ8		2200	13	13	11.3	1块, @200
	Φ8		2700	10	10	10.67	@200
10#	Φ8		2700	8	8	8.53	1块, @200
	Φ8		1800	13	13	9.24	@200
11#	Φ8		5900	8*2	16	37.29	2块, @200
	Φ8		1700	28*2	56	37.6	@200
12#	Φ8		9000*2 2600	8	8	65.1	1块, @200
	Φ8		1700	97	97	65.14	@200
折板处附加, 参照折板大样							
	Φ14		2370	8*19	152	435.89	上下各4
	Φ10		2280	2*19	38	53.46	
	Φ10		2880	2*19	38	67.52	
	Φ14		2970	8*19	152	546.24	上下各4
面筋-区域1 料单中*2就是下两遍的意思, 两遍分开吊							
改成1	Φ8		6250 8300 6250	20*2	40	328.64	@200搭400 总长19550
	Φ8		2350 8300*2 2350	19*2	38	319.71	@200搭400 总长19550

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
2	Φ8		7710	35*2	70	213.18	@200
3	Φ8		6070	65*2	130	311.69	@200
4	Φ8		5260	9*2	18	37.4	@200
5	Φ8		3540	20*2	40	55.93	@200
6	Φ8		2860	95*2	190	214.64	@200
7	Φ8		2760	27*2	54	58.87	@200
8	Φ8		2160	60*2	120	102.38	@200
9	Φ8		1920	10*2	20	15.17	@200
面筋-区域2							
改成10	Φ8		5000 8300*3 3600	8	8	105.86	@200搭400 总长31250
改成11	Φ8		3560 8300 8300	16	16	127.41	@200搭400 总长18950
改成12	Φ8		5000 8300 3360	10	10	65.81	@200搭400 总长15450
13	Φ8		4460	10	10	17.62	@200
14	Φ8		4010	13	13	20.59	@200
15	Φ8		3610	13	13	18.54	@200
16	Φ8		2860	8	8	9.04	@200
17	Φ8		2410	60	60	57.12	@200
18	Φ8		1960	101	101	78.19	@200
19	Φ8		1860	159	159	116.82	@200
面筋-区域3							
改成20	Φ8		2350 8300*4 2350	19	19	284.44	@200搭500 总长35150

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
	Φ8		6250 8300*3 6250	20	20	295.46	
21	Φ8		7710	63	63	191.86	@200
22	Φ8		6070	117	117	280.53	@200
23	Φ8		5260	9	9	18.7	@200
24	Φ8		3540	20	20	27.97	@200
25	Φ8		2860	171	171	193.18	@200
26	Φ8		2760	63	63	68.68	@200
27	Φ8		2190	50	50	43.25	@200
28	Φ8		2160	108	108	92.15	@200
附加筋							
	Φ8		2290	360	360	325.64	@200
	Φ10		2300	216	216	306.53	@200
节点							
1#节点	Φ12		1110	778	778	766.86	上, @100
	Φ12		720	778	778	497.42	下, @100
	Φ6		3600	6*4	24	19.18	分布筋, @200
	Φ6		6000*3 3700	6*2	12	57.81	搭接: 300
	Φ6		1800	6*2	12	4.8	
	Φ6		6000*6 2200	6	6	50.88	搭接: 300
2#节点	Φ6		1800	2*2	4	1.6	分布筋
	Φ6		6000 4600	2*2	4	9.41	分布筋

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
3#节点	Φ10	70 	3350	50	50	103.35	@200
	Φ6		6000 4700	14	14	33.26	@200
4#节点	Φ8	70 	3340	21*2	42	55.41	@150
	Φ6		1860	14*2	28	11.56	@200
	Φ6	70 	1770	14*2	28	11	@200
	Φ8	60 	800	21*2	42	13.27	上@150
	Φ8		670	16*2	32	8.47	下@200
	Φ8		1800	6*2	12	8.53	分布筋, @200
	Φ8		1650	6*2	12	7.82	分布筋, @200
5#节点	Φ12	70 	1110	12*2	24	23.66	上, @100
	Φ12		720	12*2	24	15.34	下,@100
	Φ6		1700	6*2	12	4.53	分布筋
	Φ8	100 	1170	10*2	20	9.24	@150
	Φ6		1700	4*2	8	3.02	@200