

料表编号：LYYP1-2

- ☐ 绑扎
- ☐ 配料
- ☐ 留存

项 目：_____

栋 号： 龙洋一品1#楼 _____

部 位： 基础 筏板 _____

注:明细重量公斤, 合计吨, 接头个 相同层数： 1

分类	Φ8	Φ10	Φ12	Φ14	Φ16	Φ18	Φ20	合计
重量	64	756	1265	44752	2564	1560	1377	52.338
搭接			15	1863				1878

- 1、班组接到料单后应核对无误后方可加工；
- 2、料表中大样为虚线的表示现场实量；
- 3、料表中标记颜色(打印有底色)的部分，表示必须复核的；
- 4、后浇带甩筋后接段必须现场实量；
- 5、柱筋封顶必须实量，层高参照料表备注结合施工蓝图确定；
- 6、人防墙插筋或接筋时，务必对照图纸避开空洞，顶上弯钩朝向现浇板内；

审核：

翻样：刘子辉 19198983221



日期：2026年02月04日




















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
BX1#	Φ14	350  350	5740	4	4	27.78		1
BX2#	Φ14	350  350	5400	1	1	6.53		2
BX3#	Φ14	 搭600	12000 1870	3	3	50.35	(搭600)总长13270	3
BX4#	Φ14	 10040	10040	14	14	170.08		4
BX5#	Φ14	350  搭600	12000 1380	6	6	97.14	(搭600)总长12460	5
	Φ14	350  搭600	1380 12000	6	6	97.14	(搭600)总长12460	6
BX6#	Φ14	350  搭600 搭600 350	12000 12000*3 2740	2	2	122.79	(搭600)总长47700	7
BX7#	Φ14	350  搭600	12000 11750	1	1	28.74	(搭600)总长22830	8
	Φ14	350  搭600	11750 12000	1	1	28.74	(搭600)总长22830	9
BX8#	Φ14	350  搭600	5030 12000	3	3	61.82	(搭600)总长16110	10
	Φ14	350  搭600	12000 5030	4	4	82.43	(搭600)总长16110	11
BX9#	Φ14	350  搭600	12000 930	5	5	78.23	(搭600)总长12010	12
	Φ14	350  搭600	6000 6930	5	5	78.23	长:12010,	13
BX10#	Φ14	350  搭600	12000 11750	4	4	114.95	(搭600)总长22830	14
	Φ14	350  搭600	11750 12000	4	4	114.95	(搭600)总长22830	15
BX11#	Φ14	350  搭600 搭600 350	12000 12000*3 2740	15	15	920.93	(搭600)总长47700	16
BX12#	Φ14	 搭600 搭600	12000 12000*2 7750	2	2	105.88	(搭600)总长41950	17
BX13#	Φ14	 搭600	12000 8350	15	15	369.35	(搭600)总长19750	18
BX14#	Φ14	 1630	1630	10	10	19.72		19

审核:

翻样:

第 1 页,共20页 2026/2/4 0:38





















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
BX15#	Φ14		5240	17	17	107.79		20
BX16#	Φ14		12000 6020	14	14	305.26	(搭600)总长17420	21
BX17#	Φ14		4200	15	15	76.23		22
BX18#	Φ14		4200	15	15	76.23		23
BX19#	Φ14		5740	4	4	27.78		24
BX20#	Φ14		5210	1	1	6.3		25
BX21#	Φ14		12000 1720	3	3	49.8	(搭600)总长13120	26
BX22#	Φ14		9890	14	14	167.54		27
BX23#	Φ14		980 12000	6	6	94.23	(搭600)总长12060	28
	Φ14		12000 980	6	6	94.23	(搭600)总长12060	29
BX24#	Φ14		11350 12000	1	1	28.25	(搭600)总长22430	30
	Φ14		12000 11350	1	1	28.25	(搭600)总长22430	31
BX25#	Φ14		5240	17	17	107.79		32
BX26#	Φ14		12000 4630	4	4	80.49	(搭600)总长15710	33
	Φ14		4630 12000	3	3	60.37	(搭600)总长15710	34
BX27#	Φ14		1630	10	10	19.72		35
BX28#	Φ14		11930	10	10	144.35		36
BX29#	Φ14		12000 11350	4	4	113.01	(搭600)总长22430	37
	Φ14		11350 12000	4	4	113.01	(搭600)总长22430	38
BX30#	Φ14		12000 8350	15	15	369.35	(搭600)总长19750	39

审核:

翻样:

第 2 页,共20页 2026/2/4 0:38


















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
BY1#	Φ14		10410	32	32	403.08		40
BY2#	Φ14		1750 12000	3	3	49.91	(搭600)总长12830	41
	Φ14		12000 1750	4	4	66.55	(搭600)总长12830	42
BY3#	Φ14		12000 4440	125	125	2486.55	(搭600)总长15200	43
BY4#	Φ14		12000 5140	11	11	228.13	(搭600)总长15900	44
BY5#	Φ14		8190	4	4	39.64		45
BY6#	Φ14		1910	38	38	87.82		46
BY7#	Φ14		1310	7	7	11.1		47
BY8#	Φ14		2790	34	34	114.78		48
BY9#	Φ14		7580	38	38	348.53		49
BY10#	Φ14		11150	10	10	134.92		50
BY11#	Φ14		3850	28	28	130.44		51
BY12#	Φ14		7480	28	28	253.42		52
BY13#	Φ14		2000 12000	4	4	67.76	(搭600)总长13080	53
	Φ14		12000 2000	6	6	101.64	(搭600)总长13080	54
BY14#	Φ14		3510	20	20	84.94		55
BY15#	Φ14		3750	20	20	90.75		56
TX1#	Φ14		5740	8	8	55.56		57
TX2#	Φ14		12000 12000*3 2740	63	63	3867.91	(搭600)总长47700	58
TX3#	Φ14		12000 3790	6	6	114.64	(搭600)总长13250	59

审核:

翻样:

第 3 页,共20页 2026/2/4 0:38


















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
	Φ14		3790 12000	5	5	95.53	(搭600)总长13250	60
TX4#	Φ14		12000 10840	11	11	304	(搭600)总长19000	61
TX5#	Φ14		12000 3390	6	6	111.73	(搭600)总长12850	62
	Φ14		3390 12000	5	5	93.11	(搭600)总长12850	63
TX6#	Φ14		12000 12000*3 3340	16	16	993.94	(搭600)总长48300	64
TX7#	Φ14		3940	3	3	14.3		65
	Φ14		4140	3	3	15.03		66
TX8#	Φ14		3540	2	2	8.57		67
TY1#	Φ14		3740	4	4	18.1		68
TY2#	Φ14		12000 4940	37	37	758.4	(搭600)总长15700	69
TY3#	Φ14		12000 4440	166	166	3302.14	(搭600)总长15200	70
TY4#	Φ14		12000 5140	46	46	954.01	(搭600)总长15900	71
TY5#	Φ14		4320	14	14	73.18		72
TY6#	Φ14		6000 8160	8	8	137.07	长:11620,	73
	Φ14		2160 12000	6	6	102.8	(搭600)总长11620	74
TY7#	Φ14		12000 4840	18	18	366.78	(搭600)总长15600	75
板底附加筋X方向								
FJJX-1#	Φ10		800	14	14	6.91	@340	76
FJJX-2#	Φ10		770	13	13	6.18	@170	77
FJJX-3#	Φ14		5030	6	6	36.52	@170	78

审核:

翻样:

第 4 页,共20页 2026/2/4 0:38








钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
	Φ12		5030	7	7	31.27	@170	79
FJJX-4#	Φ20		6250	8	8	123.5	@170	80
	Φ18		6250	9	9	112.5	@170	81
FJJX-5#	Φ20		5380	8	8	106.31	@170	82
	Φ18		5380	8	8	86.08	@170	83
FJJX-6#	Φ18		5380	9	9	96.84	@170	84
	Φ16		5380	9	9	76.5	@170	85
FJJX-7#	Φ16		3450	19	19	103.57	@170	86
FJJX-8#	Φ14		4440	11	11	59.1	@170	87
	Φ12		4440	12	12	47.31	@170	88
FJJX-9#	Φ16		1400	4	4	8.85	@170	89
	Φ14		1400	4	4	6.78	@170	90
FJJX-10#	Φ16		4600	9	9	65.41	@170	91
	Φ14		4600	9	9	50.09	@170	92
FJJX-11#	Φ14		1600	20	20	38.72	@170	93
FJJX-12#	Φ14		2760	12	12	40.08	@170	94
FJJX-13#	Φ14		4600	19	19	105.75	@170	95
FJJX-14#	Φ14		4600	20	20	111.32	@170	96
FJJX-15#	Φ14		1400	8	8	13.55	@170	97
FJJX-16#	Φ14		2790	6	6	20.26	@170	98

审核:

翻样:














钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
	Φ12		2790	6	6	14.87	@170	99
FJJX-17#	Φ16		4600	9	9	65.41	@170	100
	Φ14		4600	9	9	50.09	@170	101
FJJX-18#	Φ14		6300	11	11	83.85	@170	102
	Φ12		6300	12	12	67.13	@170	103
FJJX-19#	Φ20		2950	10	10	72.86	@170	104
FJJX-20#	Φ20		3450	11	11	93.74	@170	105
FJJX-21#	Φ16		3170	4	4	20.03	@170	106
	Φ14		3170	5	5	19.18	@170	107
FJJX-22#	Φ18		5030	9	9	90.54	@170	108
	Φ16		5030	9	9	71.53	@170	109
FJJX-23#	Φ20		6180	28	28	427.41	@170	110
FJJX-24#	Φ18		2950	16	16	94.4	@170	111
FJJX-25#	Φ18		5160	18	18	185.76	@170	112
FJJX-26#	Φ10		1850	13	13	14.84	@170	113
FJJX-27#	Φ10		2210	13	13	17.73	@170	114
FJJX-28#	Φ10		2200	12	12	16.29	@170	115
FJJX-29#	Φ10		1870	12	12	13.85	@170	116
FJJX-30#	Φ10		3280	10	10	20.24	@170	117
板底附加筋Y方向								

审核:

翻样:

第 6 页,共20页 2026/2/4 0:38



钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
FJJY-1#	Φ10		1980	15	15	18.32	@340	118
FJJY-2#	Φ10		2060	13	13	16.52	@340	119
FJJY-3#	Φ10		1200	12	12	8.88	@340	120
FJJY-4#	Φ10		1630	5	5	5.03	@340	121
FJJY-5#	Φ10		1150	9	9	6.39	@340	122
FJJY-6#	Φ10		1150	12	12	8.51	@340	123
FJJY-7#	Φ10		1560	5	5	4.81	@340	124
FJJY-8#	Φ10		1200	12	12	8.88	@340	125
FJJY-9#	Φ10		1810	7	7	7.82	@340	126
FJJY-10#	Φ10		2060	11	11	13.98	@340	127
FJJY-11#	Φ10		4620	24	24	68.41	@170	128
FJJY-12#	Φ12		4780	28	28	118.85	@170	129
FJJY-13#	Φ16		2390	19	19	71.75	@170	130
FJJY-14#	Φ16		4190	24	24	158.88	@170	131
	Φ14		4190	24	24	121.68	@170	132
FJJY-15#	Φ16		4800	7	7	53.09	@170	133
	Φ14		4800	7	7	40.66	@170	134
FJJY-16#	Φ16		4800	14	14	106.18	@170	135
	Φ14		4800	14	14	81.31	@170	136
FJJY-17#	Φ14		900	5	5	5.44	@170	137

审核:

翻样:



钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
	Φ10		900	6	6	3.33	@170	138
FJJY-18#	Φ14		3200	19	19	73.57	@170	139
FJJY-19#	Φ16		3900	28	28	172.54	@170	140
FJJY-20#	Φ16		3900	28	28	172.54	@170	141
FJJY-21#	Φ20		2900	9	9	64.47	@170	142
	Φ18		2900	10	10	58	@170	143
FJJY-22#	Φ14		4310	8	8	41.72	@170	144
	Φ12		4310	9	9	34.45	@170	145
FJJY-23#	Φ16		4780	6	6	45.31	@170	146
	Φ14		4780	7	7	40.49	@170	147
FJJY-24#	Φ16		4870	14	14	107.72	@170	148
FJJY-25#	Φ16		4350	22	22	151.21	@170	149
FJJY-26#	Φ16		3540	24	24	134.24	@170	150
FJJY-27#	Φ16		4250	14	14	94.01	@170	151
	Φ14		4250	14	14	72	@170	152
FJJY-28#	Φ14		4790	13	13	75.35	@170	153
	Φ12		4790	13	13	55.3	@170	154
FJJY-29#	Φ10		1930	12	12	14.29	@170	155
FJJY-30#	Φ10		1850	14	14	15.98	@170	156
FJJY-31#	Φ10		1070	14	14	9.24	@170	157

审核:

翻样:



钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
FJJY-32#	Φ10		1600	16	16	15.8	@170	158
FJJY-33#	Φ10		4680	25	25	72.19	@170	159
FJJY-34#	Φ10		1850	20	20	22.83	@170	160
底筋X方向								
BX1#	Φ14		5740	8	8	55.56		161
BX2#	Φ14		12000 4720	2	2	40.46	(搭600)总长15800	162
	Φ14		4720 12000	1	1	20.23	(搭600)总长15800	163
BX3#	Φ14		1380 12000	13	13	210.47	(搭600)总长12460	164
	Φ14		12000 1380	13	13	210.47	(搭600)总长12460	165
BX4#	Φ14		12000 12000*3 2740	45	45	2762.79	(搭600)总长47700	166
BX5#	Φ14		12000 12000*3 3340	3	3	186.36	(搭600)总长48300	167
BX6#	Φ14		6720 12000 6000	6	6	179.47	(搭600)总长23200	168
	Φ14		6000 12000 6720	7	7	209.38	(搭600)总长23200	169
BX7#	Φ14		4140	3	3	15.03		170
BX8#	Φ14		4230	30	30	153.55		171
BX9#	Φ14		6490	2	2	15.71		172
BX10#	Φ14		12000 6020	13	13	283.45	(搭600)总长17420	173
BX11#	Φ14		3540	2	2	8.57		174
BX12#	Φ14		4320 12000	1	1	19.75	(搭600)总长15400	175

审核:

翻样:

第 9 页,共20页 2026/2/4 0:38






















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
	Φ14		12000 4320	2	2	39.49	(搭600)总长15400	176
BX13#	Φ14		980 12000	13	13	204.18	(搭600)总长12060	177
	Φ14		4500 8480	13	13	204.18	(搭600)总长12060	178
BX14#	Φ14		6520 12000 6000	6	6	178.02	(搭600)总长23000	179
	Φ14		6000 12000 6520	7	7	207.68	(搭600)总长23000	180
BX15#	Φ14		3940	3	3	14.3		181
底筋Y方向								
BY1#	Φ14		3740	4	4	18.1		182
BY2#	Φ14		12000 4940	37	37	758.4	(搭600)总长15700	183
BY3#	Φ14		12000 4440	125	125	2486.55	(搭600)总长15200	184
BY4#	Φ14		12000 5140	15	15	311.09	(搭600)总长15900	185
BY5#	Φ14		11150	44	44	593.63		186
BY6#	Φ14		1910	40	40	92.44		187
BY7#	Φ14		1420	5	5	8.59		188
BY8#	Φ14		12000 2120	14	14	239.19	(搭600)总长13200	189
	Φ14		2120 12000	14	14	239.19	(搭600)总长13200	190
BY9#	Φ14		12000 1920	8	8	134.75	(搭600)总长13000	191
	Φ14		1920 12000	6	6	101.06	(搭600)总长13000	192
BY10#	Φ14		11100	18	18	241.76		193
BY11#	Φ14		1320	18	18	28.75		194

审核:

翻样:

第 10 页,共20页 2026/2/4 0:38





















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
面筋X方向							
TX1#	Φ14	350  350	5740	8	8	55.56	
TX2#	Φ14	 搭600	12000 2100	4	4	68.24	(搭600)总长13500
TX3#	Φ14	 5950	5950	12	12	86.39	
TX4#	Φ14	 6950	6950	10	10	84.1	
TX5#	Φ14	 1650	5020	10	10	60.74	
TX6#	Φ14	 1650	2870	10	10	34.73	
TX7#	Φ14	 搭600 1650	1170 12000	1	1	15.94	(搭600)总长10950
	Φ14	 搭600 1650	4500 8670	1	1	15.94	(搭600)总长10950
TX8#	Φ14	 搭600 1650	3790 12000	2	2	38.21	(搭600)总长13250
	Φ14	 搭600 1650	12000 3790	2	2	38.21	(搭600)总长13250
TX9#	Φ14	 搭600	12000 1500	15	15	245.02	(搭600)总长12900
TX10#	Φ14	 搭600 1650	12000 10840	6	6	165.82	(搭600)总长19000
TX11#	Φ14	 搭600	12000 1950	4	4	67.52	(搭600)总长13350
TX12#	Φ14	 6800	6800	10	10	82.28	
TX13#	Φ14	 搭600	12000 1020	1	1	15.75	(搭600)总长10800
	Φ14	 搭600	8520 4500	1	1	15.75	(搭600)总长10800
TX14#	Φ14	 搭600 350	12000 3390	2	2	37.24	(搭600)总长12850
	Φ14	 搭600 350	3390 12000	2	2	37.24	(搭600)总长12850
TX15#	Φ14	 350	9570	9	9	104.22	

审核:

翻样:

第 11 页,共20页 2026/2/4 0:38



钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
TX16#	Φ14		12000 12000 5600	8	8	286.53	(搭600)总长28400	214
TX17#	Φ14		9170	9	9	99.86		215
TX18#	Φ14		12000 12000*3 2740	20	20	1227.91	(搭600)总长47700	216
TX19#	Φ14		6000 12000 6520	1	1	29.67	(搭600)总长23000	217
TX20#	Φ14		12000 11520	1	1	28.46	(搭600)总长22600	218
TX21#	Φ14		5120 12000	2	2	41.43	(搭600)总长16200	219
	Φ14		12000 5120	3	3	62.15	(搭600)总长16200	220
TX22#	Φ14		4720 12000	2	2	40.46	(搭600)总长15800	221
	Φ14		12000 4720	3	3	60.69	(搭600)总长15800	222
TX23#	Φ14		6200	4	4	30.01		223
TX24#	Φ14		5500	34	34	226.27		224
TX25#	Φ14		9420	12	12	136.78		225
TX26#	Φ14		2100	18	18	45.74		226
TX27#	Φ14		1800	18	18	39.2		227
TX28#	Φ14		9020	12	12	130.97		228
TX29#	Φ14		6200	2	2	15		229
TX30#	Φ14		6520 12000 6000	3	3	89.01	(搭600)总长23000	230
	Φ14		6000 12000 6520	4	4	118.68	(搭600)总长23000	231

审核:

翻样:

第 12 页,共20页 2026/2/4 0:38


















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直别径	钢筋简图	下料 (mm)	根件 数*数	总 根 数	重量 (kg)	备 注
TX31#	Φ14		6120 12000 6000	3	3	87.56	(搭600)总长22600
	Φ14		12000 11520	4	4	113.84	(搭600)总长22600
TX32#	Φ14		12000 12000*2 8100	3	3	160.08	(搭600)总长42300
TX33#	Φ14		12000 8700	4	4	100.19	(搭600)总长20100
TX34#	Φ14		12000 1950	20	20	337.59	(搭600)总长13350
TX35#	Φ14		5950	20	20	143.99	
TX36#	Φ14		12000 8700	2	2	50.09	(搭600)总长20100
TX37#	Φ14		3540	2	2	8.57	
面筋Y方向							
TY1#	Φ14		10700	32	32	414.3	
TY2#	Φ14		12000 1920	3	3	50.53	(搭600)总长13000
	Φ14		1920 12000	2	2	33.69	(搭600)总长13000
TY3#	Φ14		12000 4440	62	62	1233.33	(搭600)总长15200
TY4#	Φ14		7120	4	4	34.46	
TY5#	Φ14		1420	23	23	39.52	
TY6#	Φ14		2000	18	18	43.56	
TY7#	Φ14		2400	18	18	52.27	
TY8#	Φ14		7470	22	22	198.85	
TY9#	Φ14		12000 4440	55	55	1094.08	(搭600)总长15200
TY10#	Φ14		12000 5140	17	17	352.57	(搭600)总长15900

审核:

翻样:






















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注
TY11#	Φ14		8270	24	24	240.16	
TY12#	Φ14		4320	14	14	73.18	
TY13#	Φ14		5290	14	14	89.61	
TY14#	Φ14		7670	38	38	352.67	
TY15#	Φ14		12000 2120	4	4	68.34	(搭600)总长13200
	Φ14		2120 12000	2	2	34.17	(搭600)总长13200
TY16#	Φ14		4050	26	26	127.41	
TY17#	Φ14		5700	20	20	137.94	
TY18#	Φ14		7570	6	6	54.96	
TY19#	Φ14		6120	18	18	133.29	
TY20#	Φ14		4100	18	18	89.3	
TY21#	Φ14		1320	18	18	28.75	
TY22#	Φ14		1070	20	20	25.89	
底筋附加筋							
底筋附加 X1#	Φ8		800	7	7	2.21	@340
	Φ10		800	7	7	3.46	@340
底筋附加 X2#	Φ8		1850	8	8	5.85	@170
底筋附加 X3#	Φ14		3350	5	5	20.27	@170
	Φ12		3350	5	5	14.87	@170
底筋附加 X4#	Φ14		1200	14	14	20.33	@170

审核:

翻样:








钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
底筋附加 X5#	Φ10		2600	5	5	8.02	@340	270
底筋附加 X6#	Φ10		1870	7	7	8.08	@340	271
底筋附加 X7#	Φ8		2200	12	12	10.43	@170	272
底筋附加 X8#	Φ12		2790	12	12	29.73	@170	273
底筋附加 X9#	Φ14		1400	8	8	13.55	@170	274
底筋附加 X10#	Φ12		1600	5	5	7.1	@170	275
	Φ14		1600	5	5	9.68	@170	276
底筋附加 X11#	Φ10		770	13	13	6.18	@170	277
底筋附加 X12#	Φ14		2760	6	6	20.04	@170	278
	Φ12		2760	6	6	14.71	@170	279
底筋附加 X13#	Φ16		1400	4	4	8.85	@170	280
	Φ14		1400	4	4	6.78	@170	281
底筋附加 X14#	Φ10		2210	6	6	8.18	@170	282
	Φ8		2210	6	6	5.24	@170	283
底筋附加 X15#	Φ8		1850	3	3	2.19	@340	284
	Φ10		1850	2	2	2.28	@340	285
底筋附加 X16#	Φ12		3500	10	10	31.08	@170	286
底筋附加 X17#	Φ12		1200	1	1	1.07	@170	287
底筋附加 X18#	Φ10		1820	6	6	6.74	@170	288
	Φ8		1820	7	7	5.03	@170	289

审核:

翻样:

第 15 页,共20页 2026/2/4 0:38











钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
底筋附加 Y1#	Φ8		1910	9	9	6.79	@340	290
底筋附加 Y2#	Φ10		2100	11	11	14.25	@340	291
底筋附加 Y3#	Φ10		1810	7	7	7.82	@340	292
底筋附加 Y4#	Φ12		2600	4	4	9.24	@170	293
	Φ14		2600	4	4	12.58	@170	294
底筋附加 Y5#	Φ8		1070	4	4	1.69	@340	295
	Φ10		1070	4	4	2.64	@340	296
底筋附加 Y6#	Φ10		1150	12	12	8.51	@340	297
底筋附加 Y7#	Φ10		900	6	6	3.33	@170	298
	Φ14		900	5	5	5.44	@170	299
底筋附加 Y8#	Φ10		1150	8	8	5.68	@340	300
底筋附加 Y9#	Φ8		1850	14	14	10.23	@170	301
底筋附加 Y10#	Φ14		2970	4	4	14.37	@170	302
	Φ12		2970	4	4	10.55	@170	303
底筋附加 Y11#	Φ10		1930	12	12	14.29	@170	304
底筋附加 Y12#	Φ8		2060	13	13	10.58	@340	305
底筋附加 Y13#	Φ10		1980	15	15	18.32	@340	306
面筋附加筋								
面筋附加 X1#	Φ18		5160	18	18	185.76	@170	307
面筋附加 X2#	Φ20		6130	28	28	423.95	@170	308

审核:

翻样:

第 16 页,共20页 2026/2/4 0:38















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
面筋附加 X3#	Φ16		5030	11	11	87.42	@170	309
	Φ18		5030	11	11	110.66	@170	310
面筋附加 X4#	Φ12		4600	10	10	40.85	@170	311
	Φ14		4600	10	10	55.66	@170	312
面筋附加 X5#	Φ14		4600	18	18	100.19	@170	313
面筋附加 X6#	Φ14		4600	11	11	61.23	@170	314
	Φ12		4600	12	12	49.02	@170	315
面筋附加 X7#	Φ10		4600	9	9	25.54	@170	316
	Φ12		4600	8	8	32.68	@170	317
面筋附加 X8#	Φ14		4600	28	28	155.85	@170	318
面筋附加 X9#	Φ12		3750	16	16	53.28	@170	319
面筋附加 X10#	Φ18		5380	9	9	96.84	@170	320
	Φ16		5380	9	9	76.5	@170	321
面筋附加 X11#	Φ18		5380	16	16	172.16	@170	322
面筋附加 X12#	Φ18		6250	17	17	212.5	@170	323
面筋附加 X13#	Φ14		4610	13	13	72.52	@170	324
面筋附加 Y1#	Φ10		4400	11	11	29.86	@340	325
面筋附加 Y2#	Φ12		5450	13	13	62.91	@170	326
	Φ10		5450	13	13	43.71	@170	327
面筋附加 Y3#	Φ12		4050	14	14	50.35	@170	328

审核:

翻样:

第 17 页,共20页 2026/2/4 0:38










钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注	
	Φ14		4050	14	14	68.61	@170	329
面筋附加 Y4#	Φ14		4350	11	11	57.9	@170	330
	Φ16		4350	11	11	75.6	@170	331
面筋附加 Y5#	Φ14		4800	7	7	40.66	@170	332
	Φ16		4800	7	7	53.09	@170	333
面筋附加 Y6#	Φ10		1560	2	2	1.93	@340	334
	Φ8		1560	3	3	1.85	@340	335
面筋附加 Y7#	Φ10		1200	12	12	8.88	@340	336
面筋附加 Y8#	Φ14		4780	13	13	75.19	@170	337
面筋附加 Y9#	Φ16		3900	28	28	172.54	@170	338
面筋附加 Y10#	Φ14		4310	8	8	41.72	@170	339
	Φ12		4310	9	9	34.45	@170	340
面筋附加 Y11#	Φ14		3200	19	19	73.57	@170	341
面筋附加 Y12#	Φ20		2900	9	9	64.47	@170	342
	Φ18		2900	10	10	58	@170	343
面筋附加 Y13#	Φ16		3900	28	28	172.54	@170	344
面筋附加 Y14#	Φ14		4800	28	28	162.62	@170	345
面筋附加 Y15#	Φ10		1200	12	12	8.88	@340	346
面筋附加 Y16#	Φ10		1630	2	2	2.01	@340	347
	Φ8		1630	3	3	1.93	@340	348

审核:

翻样:

第 18 页,共20页 2026/2/4 0:38


















钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础筏板

构件名称	级直 别径	钢筋简图	下料 (mm)	根件 数*数	总 根数	重量 (kg)	备 注	
面筋附加 Y17#	Φ16		4800	7	7	53.09	@170	349
	Φ14		4800	7	7	40.66	@170	350
面筋附加 Y18#	Φ16		4900	24	24	185.81	@170	351
	Φ14		4900	24	24	142.3	@170	352
面筋附加 Y19#	Φ12		5270	14	14	65.52	@170	353
	Φ10		5270	14	14	45.52	@170	354
面筋附加 Y20#	Φ10		4200	21	21	54.42	@170	355
封边构造								
封边构造1#	Φ12		10930	3	3	29.12		356
	Φ12		11130	3	3	29.65		357
封边构造2#	Φ12		1230	6	6	6.55		358
	Φ12		1230	6	6	6.55		359
封边构造3#	Φ12		5350	6	6	28.5		360
封边构造4#	Φ12		12000 5600	3	3	46.89	(搭300)总长17300	361
封边构造5#	Φ12		12000 1430	3	3	35.78	(搭300)总长13000	362
	Φ12		1430 12000	3	3	35.78	(搭300)总长13000	363
封边构造6#	Φ12		930	3	3	2.48		364
	Φ12		730	3	3	1.94		365
封边构造7#	Φ12		3350	3	3	8.92		366
	Φ12		3350	3	3	8.92		367

审核:

翻样:

第 19 页,共20页 2026/2/4 0:38









钢筋配料表

编号:LYYP1-2

栋号: 龙洋一品1#楼

部位: 基础 筏板

构件名称	级直 别径	钢 筋 简 图	下料 (mm)	根 件 数*数	总 根 数	重量 (kg)	备 注
封边构造8#	Φ12	150  150	3750	3	3	9.99	
	Φ12	150  150	3550	3	3	9.46	
封边构造9#	Φ12	150  900	1030	3	3	2.74	
	Φ12	150  900	1030	3	3	2.74	
封边构造10#	Φ12	 12000 8400 搭300	12000 8400	6	6	108.69	(搭300)总长20100
封边构造11#	Φ12	150  800	930	3	3	2.48	
	Φ12	150  800	930	3	3	2.48	
封边构造12#	Φ12	150  2900 150	3150	3	3	8.39	
马凳筋							
	Φ14	 200 450 200 200	1380	639	639	1067	
	Φ14	 200 800 200 200	2080	15	15	37.75	

审核:

翻样: